

WestminsterResearch

<http://www.westminster.ac.uk/westminsterresearch>

Design methodology for 360° immersive video applications: the case study of a cultural heritage virtual tour

Argyriou, L., Economou, D. and Bouki, V.

This is an author's accepted manuscript of an article published in Personal and Ubiquitous Computing, 2020.

The final publication is available at Springer via:

<https://dx.doi.org/10.1007/s00779-020-01373-8>

The WestminsterResearch online digital archive at the University of Westminster aims to make the research output of the University available to a wider audience. Copyright and Moral Rights remain with the authors and/or copyright owners.

Whilst further distribution of specific materials from within this archive is forbidden, you may freely distribute the URL of WestminsterResearch: (<http://westminsterresearch.wmin.ac.uk/>).

In case of abuse or copyright appearing without permission e-mail repository@westminster.ac.uk

Personal and Ubiquitous Computing

Design methodology for 360° immersive video applications: the case study of a cultural heritage virtual tour --Manuscript Draft--

Manuscript Number:	PAUC-D-19-00486R3	
Full Title:	Design methodology for 360° immersive video applications: the case study of a cultural heritage virtual tour	
Article Type:	S.I. : Virtual and Mixed Reality in Culture and Heritage	
Funding Information:	University of Westminster	Mrs LEMONIA ARGYRIOU
Abstract:	<p>360° immersive video applications for Head Mounted Display (HMD) devices offer great potential in providing engaging forms of experiential media solutions especially in Cultural Heritage education. Design challenges emerge though by this new kind of immersive media due to the 2D form of resources used for their construction, the lack of depth, the limited interaction and the need to address the sense of presence. In addition, the use of Virtual Reality (VR) headsets often causes nausea, or motion sickness effects imposing further implications in moderate motion design tasks. This paper introduces a methodological categorization of tasks and techniques for the design of 360° immersive video applications. Following the design approach presented, a testbed application has been created as an immersive interactive virtual tour at the Historical center of the city of Rethymno in Crete, Greece, which has undergone user trials. Based on the analysis of the results of this study, a set of design guidelines for the implementation of 360° immersive video virtual tours is proposed.</p>	
Corresponding Author:	Lemonia Argyriou, MSc University of Westminster UNITED KINGDOM	
Corresponding Author Secondary Information:		
Corresponding Author's Institution:	University of Westminster	
Corresponding Author's Secondary Institution:		
First Author:	Lemonia Argyriou, MSc	
First Author Secondary Information:		
Order of Authors:	Lemonia Argyriou, MSc Daphne Economou, PhD Vassiliki Bouki, PhD	
Order of Authors Secondary Information:		
Author Comments:		
Response to Reviewers:		

[Click here to view linked References](#)

Design methodology for 360° immersive video applications: the case study of a cultural heritage virtual tour

Lemonia Argyriou ^{1a}, Daphne Economou ^{1b}, Vassiliki Bouki ^{1c}

¹ School of Computer Science & Engineering, College of Design, Creative and Digital Industries, University of Westminster, London, UK

^{1a} argyrioulemonia@gmail.com; ^{1b} D.Economou@westminster.ac.uk; ^{1c} boukiv@westminster.ac.uk;

Abstract.

360° immersive video applications for Head Mounted Display (HMD) devices offer great potential in providing engaging forms of experiential media solutions especially in Cultural Heritage education. Design challenges emerge though by this new kind of immersive media due to the 2D form of resources used for their construction, the lack of depth, the limited interaction and the need to address the sense of presence. In addition, the use of Virtual Reality (VR) headsets often causes nausea, or motion sickness effects imposing further implications in moderate motion design tasks. This paper introduces a methodological categorization of tasks and techniques for the design of 360° immersive video applications. Following the design approach presented, a testbed application has been created as an immersive interactive virtual tour at the Historical center of the city of Rethymno in Crete, Greece, which has undergone user trials. Based on the analysis of the results of this study, a set of design guidelines for the implementation of 360° immersive video virtual tours is proposed.

Keywords: virtual cultural heritage; immersive video; immersive storytelling; design guidelines; immersion; experiential media.

1. Introduction and background

360° video as a form of immersive experience became popular following the release of low-cost VR headsets for consumer purposes that support a wider field

of viewing range and stereoscopic display. HMDs allow users through head movement to choose their own field and direction of view (FoV) simulating a real-world viewing experience. Ferrari & Medici (2017) have affirmed the benefits of the use of HMDs for communicating cultural information in VR.

The potential for immersive experience provision by 360° videos, led YouTube to provide support for such media upload and display in March 2015 through its official website and Android application (Wired, March 2015). A new field of VR experiences was also introduced, that of Cinematic Virtual Reality (Nielsen et al., 2016). The difference between Cinematic VR and 360° video applications lies in the better sense of presence, accessibility and camera motion offered by the former due to the use of VR headset devices. 360° immersive video allowed viewers to become more active by choosing their own point of view to experience a scene and not just following the director's frame shot, providing in this way a more personalised and realistic experience (Ellicom, July 2017). 360° video VR storytelling experiences allowed producers to create longer lasting impact to the audience through semi-interactive experiences that fall between games design and film production. This is achieved by making users to feel like taking part in the action and the narrative (The Guardian, December 2015).

The work of Adão et al. (2018) introduces a system specification for prototyping immersive experiences based on 360° video complemented with other forms of multimedia content reporting on good levels of functionality-centered usability. The design of 360° immersive video applications is challenging mainly due to the use of 2D video resources for the creation of interactive experiences in 3D VR worlds, the lack of sense of depth and the weak level of navigation control. It is therefore necessary to follow a rigorous methodology to direct the design of such immersive experiences in order to offer satisfying user experience. Such challenges that occur when using 360° video to design interactive and immersive applications for VR headsets have been thoroughly presented by Argyriou et al. (2016).

A systematic design study has been formed with the aim to address those challenges. As defined by Pavlik (2018, p.49): *“Experiential media forms enable the user to experience stories as a participant in a first-person narrative, rather than merely watch, listen or read the story from a third-person voyeuristic vantage point”*. 360° immersive video storytelling applications represent a form of experiential media when experienced through VR headsets.

The key research objective of the study presented in this paper is twofold:

- the definition of the design considerations and tasks that should be addressed when creating immersive interactive experiences based on 360° videos;
- the introduction of a systematic way to address those design considerations through the contribution of a formal methodology and a set of design guidelines.

The paper structure is as follows. Section 2 introduces Immersive Cultural Heritage solutions developed using 360° video resources presenting some open challenges in that area of research. With the aim to address the identified research challenges, an analysis and categorization of design tasks and corresponding tech-

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65

niques that need to be considered in 360° immersive video experiences is discussed in Section 3. Those design techniques have been followed for the creation of a 360° immersive video storytelling tour in an area of Cultural Heritage (Section 4) and subjected to a “*real user*” study (Section 5). The results of this study are presented in Section 6, followed by a contribution of a set of design guidelines for this new kind of experiences (Section 7) and concluding with discussion and future work (Section 8).

2. Current solutions for Immersive Cultural Heritage based on 360° videos

Digital storytelling is proposed as an effective way of introducing cultural heritage information (Athenapulus, 2014). Recent studies reveal that digital, immersive storytelling based on experiential media, such as 360° videos, is a promising and engaging new form of experiencing Cultural Heritage. The design of applications which convey cultural information through Mixed and Virtual Reality technologies should assist the interpretation of projected historical artefacts and increase the user’s interest on them and not on the medium (Sylaiou et al., 2018).

The work of Ivkovic et al. (2018) presents an interactive cultural heritage application based on 360° videos for the Bridges of Sarajevo. Participants were engaged to further explore the story of the seven bridges through the ability to choose on their own the order to experience the provided cultural information. The application integrated a map interface menu with 3D models of the Bridges of Sarajevo that formed an element to navigate the environment. Participants were further motivated to explore all the provided content with the integration of a rewarding mechanism, through the collection of puzzle pieces for each visited bridge. The completion of this puzzle allowed participants to explore an extra video scene. This study reports that participants felt like they were realistically walking on the bridges when experiencing the video stories. That application though was web-based, and therefore there was no discussion on design considerations for VR headset applications, promising for increasing the sense of presence.

Selmanovic et al. (2018) introduce an immersive 360° video application for preserving the bridge diving tradition from the Old Bridge in Mostar, Bosnia and Herzegovina. The users watch 360° videos about the bridge’s history and the diving tradition and answer a series of quizzes on the presented information. It is an effective approach of designing immersive cultural heritage solutions experienced through VR headsets, but it lacks a systematic design methodology formation and evaluation of further motivational and immersion factors that could be considered.

Cai et al. (2018) have reported their assumptions on the comparison of the use of 360° video recordings and Virtual Environments in triggering a memory of the past. Their study involves the creation of a virtual house with realistic photogrammetric reconstructed objects of the dwellings used daily by local Ningbonese people since the last century. That virtual reconstruction has been compared to a

high-resolution 360° video showing an old couple cooking food inside a well-preserved house located in Ningbo. Participants used an HTC Vive to interact with the virtual reconstruction that allowed interaction with virtual objects like grasping or opening drawers. The environment constructed with 360° videos had been experienced passively through a Samsung Gear device allowing only the view rotation based on head movements. The applications have been tested by 21 local participants familiar with the history of the city. The results revealed that the video felt more real, exposing the high potential of the medium, though the virtual reconstruction contributed better to familiarity and memory recollection. Therefore, there is preliminary evidence that 360° immersive video user experience issues are related to the lack of interaction in such environments. This paper attempts to address this issue by providing an analysis of design methods for 360° immersive video applications.

Another interesting study on the comparison of a VR application to 360° media is that of Boukhris et al. (2017). A user study has been conducted to compare a Virtual Reality cultural heritage visit to a 3D model of a Paleolithic cave, the "Grotte de Commarque" located in the south of France, with a series of 360° pictures experienced through a VR Headset. Viewers could observe the cave and explore it through teleportation mechanisms. The study findings reveal a better sense of presence offered by the 3D VR version. However, the form of 360° media used in this study is limited to 360° pictures, not video while offering minimum interaction.

None of the studies in 360° immersive video applications has experimented with navigation design approaches beyond teleportation, such as moderate motion design with locomotion (discussed in detail in Section 3). The design and effect of human actors / avatars in motivating user's actions and increasing engagement has been studied in the context of immersive VR by Sylaiou et. al. (2019) and Carrozino et. al. (2018) providing significant insights. It is, therefore, considered important to examine the role of human actors in user motivation for the case of 360° immersive video applications. The study presented in this paper analyses five key design aspects that should be considered at the design of interactive immersive video experiences: the narrative; the virtual scenes to be captured; the actors' role; the navigation; and the gamified design. This is followed by the evaluation of the design techniques using a testbed application for a virtual Cultural Heritage tour. The evaluation output led to the formation of a set of design guidelines for the creation of engaging and interactive 360° immersive video applications.

3. 360° immersive video applications design aspects

The design of 360° immersive video experiences includes two layers:

- **the experience design layer**, that covers all the elements that support the experience design, such as the design and creation of the required media resources, the flow of the story, the scenes' elements and their connectivity;
- **the interaction design layer**, a significant part of the design process, complementary to the experience design layer, that deals with tasks related to navigation in the virtual world, interaction and system feedback, as well as the integration of gamified aspects to increase engagement.

Figure 1, presents the different requirements, challenges and guidelines that need to be addressed by those two design layers of 360° immersive video. A categorization of design aspects and corresponding techniques is presented as a result of the methodological analysis of the design requirements at each layer.




Figure 1: 360° immersive video applications design aspects

Narrative design task includes the specification of how the story unfolds, the overall story design, and techniques that should be followed to increase engagement and immersion in 360° video storytelling. Aiming to increase the sense of control and give the sense of ownership to users, the technique adapted in narra-

tive design is branching storytelling. In branching storytelling different paths of scenes that could be visited are defined allowing users to choose their preferred path to experience a story/narrative. To achieve branching storytelling the story design should be adapted to follow a non-linear design specification and should be used during the videos production and editing phase.

Virtual scenes design refers to the definition of elements that should be captured or integrated in the scenes to support the storytelling experience. With the aim to design for consistency and cognition the scenes should depict areas and points of interest (POIs) that are contextually related in a storytelling experience. Those POIs could be for example historical buildings in a virtual city tour experience. Graphic elements such a text panels should also be integrated in each scene to provide further information about the POIs. The POIs and graphics positioning specification per scene allows the strategic design of each virtual scene and the definition of the user's viewshed and available interaction tasks when entering each scene.

Actors' role design involves the scripting of the actions of humans captured in the video scenes. Human actors efficiently integrated in the scene, taking the role of narrator, or used to motivate the user look around, could provide an element of social engagement supporting users to immerse in the story. The human's actions and narrative specification should be produced and used during the videos production and editing process.

Navigation design is an important interaction design task for assisting viewpoint reference and scene-to-scene transition. Moderate motion is a technique that refers to user navigation in a multi-scenery environment and progressing in the story. To achieve a more realistic interaction with the 360° immersive environment and the effect of "feeling like being actually there in the virtual world" (Slater & Usoh, 1993), walking video resources could be produced and integrated in the experience. 360° videos with locomotion should be carefully produced if intended to be experienced though HMDs. Fast camera motion in 360° videos has been reported by Tran et al. (2017) to produce strong sickness effects when used in VR communication. 360° videos that are captured through steady and slow walking in an area could be used for VR world navigation, simulating a real walking experience to transition from one scene to another. Another moderate motion technique to navigate the virtual world is the direct teleportation that could give a sense of controlling better the scene-to-scene transition and empower the user. Location reference techniques should also be considered providing the user with feedback of where the POIs are placed in the scene according to her current view.

Gamified design is an efficient technique for the creation of engaging experiences. In cultural applications educating users on historical, cultural or even environmental facts is a typical requirement. Such tasks to be engaging and effective should challenge users' thinking, motivate them to dive deeper in the story, explore its affordances and assess their capabilities. Efficient design techniques for creating such experiences come from the area of game design. One such technique is allowing exploration and discovery by gradually revealing information to the

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65

users about observed POIs while navigating different scenes and by assessing their knowledge. Another technique has to do with increasing the sense of ownership, which can be achieved when the story unfolds in a way that allows users to achieve specific goals. Empowerment can also be achieved by allowing users to level up providing a sense of control and increasing their motivation. The design of an experience with levels could be achieved by exploring scenes and POIs gradually and providing information and feedback as the story progresses.

The defined categorization provides a rigorous methodological approach assisting the specification of the techniques, tasks and considerations that should be followed for each layer of design of immersive video applications. The technical specification diagram provided in Figure 2, shows the workflow and production steps of 360° immersive interactive video solutions. The techniques specification for the experience as also the interaction design layer of design results to the production of:

- the required video scripts defining what should be captured by the videographer and what the actors should do;
- a list of the necessary graphics that need to be produced, such UI panels imposing interaction or providing additional information to support the story flow;
- the game logic and interaction functionality providing the required input by the user and the expected system output and updates (Argyriou et al. 2017).

The video content production and editing phases for the 360° video resources capturing are determined by pre-defined video scripts. The video capturing is done using a compatible 360° video camera. Following the video content production stage is the creation of the VR scenes using a game engine such as Unity that supports application development for VR headsets such as Oculus and Samsung Gear VR. The scenes in general are created by mapping the 360° video resources to a spherical 3D object, setting up the VR cameras position according to the application scenario (what the user sees at the beginning of each scene) and importing and positioning the graphic elements (2D UI panels etc.) following the video background.

As a final process, the application functionality programming takes place based on the game and interaction logic definition leading to the VR application build.




Figure 2: 360° immersive video application development flow diagram.

4. 360° immersive video prototype application design for Cultural Heritage

4.1 Historic Rethymno virtual tour creation

To address the needs of the study an immersive storytelling experience, an interactive 360° video-based virtual city tour of the historical center of Rethymno, in Greece, has been developed¹. The application has been developed to be experienced using Oculus Rift VR headset.

The Rethymno city has been chosen for this prototype application due to its great historical importance, preserving artefacts and monuments in good condition capturing historical periods spanning from the Ottoman to the Venetian periods (Digital Crete 2016). Those artefacts offered the opportunity for creating an interesting **narrative** experience by capturing city scenes with historically related POIs, as discussed earlier and outlined in Figure 1.

Following the design of the historical tour, six short-time 360° video scenes, per area of interest, have been produced through videos captured in first person view depicting the user standing in the middle of each scene, or in front of a specific **POI** (a historical building or artefact), to allow the exploration of the place. The recording of the 360° video content was done with a Ricoh Theta S camera device that consists of two 180° FOV cameras and is accompanied by a software

¹ <https://youtu.be/LLgSccfFfas>

1
2
3
4
5
6
7 editing application that allows automatic stitching, manual editing and export to
8 .mp4 format. Those exploratory video resources have been used to create a mixed
9 media **virtual scene** enriched with UI **graphic elements** depicting important his-
10 torical textual information about the captured artefacts (Digital Crete 2016). When
11 the users manage to reveal this information, they can proceed to the next level of
12 the experience. **Branching** storytelling is integrated in a scene following the in-
13 troductory scene that offers the users the option to navigate to a series of scenes
14 and discover the included POIs in an arbitrary sequence. The POIs are preserved
15 historical fountains from the Ottoman period. After all POI and information have
16 been discovered the user is directed to the last scene where only one, the most im-
17 portant historically, artefact can be visited.

18 Two **actors** have been captured in the scenes: one providing introductory in-
19 formation and narration at the start scene; and another one for motivating and di-
20 recting the user to look at specific areas in the scene to discover the artefacts to be
21 found and reveal relevant historical information. The technique of using an actor
22 to motivate the user to look around belongs to the provision of **location reference**
23 of the POIs in the 360° scenes as a solution to **navigation** design task. Another
24 similar technique to support location reference is through the use of graphic UI el-
25 ements. Graphic vectors have therefore been integrated in a specific scene to allow
26 the comparison of techniques.

27 Different **moderate motion** techniques to support the transition from one scene
28 to another were incorporated in the design process, such as walking simulation
29 and direct teleportation. The walking simulation refers to the capturing and inte-
30 gration of videos where the subject has the sense of being moved through walking
31 down an alley before moving to the next scene. In contrast, with direct teleporta-
32 tion the user is instantly transferred to another area through direct change of static
33 captured video resources.

34 The experience had been designed as a **gamified**, educational tour, revealing
35 information about the city in a fun and engaging way. The player is informed by a
36 narrator that will play the role of an Ottoman soldier missioned to collect as much
37 water possible from several historical fountains of the Ottoman period, which re-
38 main in the city, and carry it to the most important fountain of the city, the Ri-
39 mondi fountain (Rimondi 2016). The role of the Ottoman soldier has been men-
40 tioned with the aim to create empathy with the mission and the context of the story
41 as there is no evidence on user's embodiment when experiencing the video scenes
42 captured in first person view. In this journey the user has to spot three fountains,
43 discover relevant historical information and reply to a set of questions in order to
44 collect water for the Rimondi fountain (the final spot). The game ends after the
45 user has visited all fountains and reached the Rimondi area, where the players are
46 addressed with a Gold, a Silver or a Bronze badge of the Ottoman citizen of
47 Rethymno according to the points collected throughout the tour.

48 Feedback on user progress is given through a Water collector indicator UI ele-
49 ment showing the users' current score. In that way the users are learning about the
50 history of the city by completing a set of tasks and challenges that allow the inter-
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65

action with the VR environment. Challenges are continuously presented to the players at each level of the game, keeping them curious while testing and applying their knowledge. Addressing challenges makes people feel they have earned their achievement giving them the sense of accomplishment which is one of the eight core drives of gamification according to the Octalysis gamification framework (Chou, 2013).

The logic of the overall gamified experience is designed based on the concept of exploratory games that allows the users to freely navigate and visit several stages of the game by experiencing different narratives till they identify and complete all challenges presented (De Valk, 2012). The exploratory approach triggers the users' curiosity motivating them to master the rules and affordances of the game by supporting them to level-up and advance in the game, making the whole experience more engaging.

4.2 Testbed design approach for hypothesis evaluation

This case study investigates the effect of different design techniques integrated in the 360° immersive video Historic Rethymno virtual tour with respect to immersion and engagement levels achieved. The main objectives of this study were:

- the evaluation of the overall design approach followed in terms of engagement and immersion offered;
- the comparative assessment of the effectiveness of the techniques applied for immersive moderate motion design (walking simulation - video resources with locomotion vs direct teleportation);
- the comparative assessment of the techniques applied for navigation with location reference design (user of human actor vs graphic UI elements);
- the evaluation of the educational potentials and engagement level offered through the gamification of a Cultural Heritage storytelling experience using the 360° video medium.

In order to serve the purpose of this study, the testbed (the 360° immersive video Historic Rethymno virtual tour) has been designed following the experience and interaction design layers techniques categorization (outlined in Section 3). Those are depicted in different colour codes in Table 1 (green for navigation-location reference design, orange for moderate motion design, purple for gamified design and blue for the motivational elements that may trigger user choice). Each scene of the testbed integrates relevant design elements falling in different categories of the experience and interaction design layers (outlined in Section 3) captured in (Figure 1). The top row of Table 1 indicates the scenes and the scene content, while the columns correspond to the design elements integrated per scene.

Design element	Scene1: Intro	Scene2: Path selection	Scene 3: Fountain 1	Scene 4: Fountain 2	Scene 5: Fountain 3	Scene 6: Rimondi
Human guided navigation			✓			
UI guided navigation				✓		
No navigation support					✓	
Walking simulation		✓				
Teleportation			✓	✓	✓	
Score indicator			✓	✓	✓	✓
Educational questions			✓	✓	✓	
Badge indicator						✓
Actor narration	✓					
Branch selection		✓	✓	✓		

Table 1: Design techniques applied at each scene of the 360° immersive video Historic Rethymno virtual tour.

For the development of the overall game logic and in order to track the users' actions and update the game scenes and UI elements accordingly, while providing accurate feedback, the following variables have been created:

- **current score** – recording the users' achieved score as progressing in the game;
- **user answer selection** – defining if the correct answer was spotted immediately, after one wrong selection, or after two wrong selections;
- **final score** – defining the final achievement level and badge assignment;
- **current scene** – indicating the scene the user is viewing at a time;
- **current path selection** – defining the next path choices that should be revealed;
- **current path options** – defining the available path options;
- **time spent till spotting Fountain with Human assisted navigation;**
- **time spent till spotting Fountain with UI assisted navigation;**
- **time spent till spotting Fountain with No navigation support.**

4.3 Immersive video interactive scenes design

The 360° immersive video Historic Rethymno virtual tour application was designed to serve a set of test scenarios that allow the evaluation and comparative study of different design techniques. Those scenarios were running at each of the six different scenes of the interactive storytelling tour experience.

Scene 1: Intro to mission by a human narrator

At the first stage, the user is placed at a historical courtyard where a Turkish woman, serving the role of the narrator, is welcoming them, talking about the history of the city and explaining their mission (see Figure 3 (a)).

Scene 2: Path selection

Moving on, the user is transferred to a new virtual scene, at the old city of Rethymno, in front of a crossroad path, where introductory UI panels appear presenting the first task asking the user to select a fountain to visit (see Figure 3(b)). The interaction with the UI elements is gaze-based. This means that the UI buttons appearing in the scene are triggered by focusing on them for a few seconds followed by a green filling effect as depicted in the figure. A short walking video follows resembling locomotion and moving the user towards the path selected transferring them to the scene of the corresponding fountain.

There are three fountains that the users should visit at a sequence of their preference according to their selections. Those fountains are placed in different areas of the historical city center dated from 1863 (Comerford, 2012):

- Fountain 1: The fountain erected in Patriarchou Grigoriou Street by Kasim Bey;
- Fountain 2: The fountain in Prevelaki Street erected by Yunus Aga's son, Ethem Bey;
- Fountain 3: The fountain at the corner of Smyrnis Street and Koronaiou Street, built by Osman Efendi.

At each of the fountain scenes, the users experience a different technique that intends to guide them to spot the historical fountain by motivating them to rotate their view.

Scene 3: Fountain 1: – Human assisted navigation

At scene 3 the navigation is supported by a human actor, meaning that there is a person in the scene creating a human contact with the subject who turns towards the fountain to motivate the user to also turn and figure out what she is looking at (see Figure 3(c)). When the user turns towards that direction, a panel with a challenge in the form of multiple answers appears, providing also further instructions on how to move in the story.

The user has to select a UI button that appears below the question to choose the correct answer. When an answer is wrong, the button is marked red to indicate error and the user has to select another button till the correct one is revealed and turned green, as shown in (Figure 3(e)).

A congratulations text communication panel follows revealing the number of liters of water gained. The water liters are calculated based on the number of attempts the users take to answer a question correctly (30 points are gained if a question is answered correctly at first attempt, 20 points at second attempt and 10 points when it is revealed by the system) (Figure 3(f)). The user should then select

to collect the water gained and a graphic animated pot appears to be filled gradually based on the liters translated percentage (Figure 3(h)).

As a follow up step, the panels illustrate the available options for choosing the next fountain to be visited (Figure 3(g)). The user has to select the teleportation button (that has a relative graphic design different from the walking simulation) to be transferred to the selected scene, meaning that the corresponding video resource is enabled and played.

Scene 4: Fountain 2 – UI assisted navigation

At scene 4, the user experiences a new navigation assistance technique in the form of dynamically triggered pointing vectors that fade when the user turns to the fountains position (as shown in Figure 3(d)). A new multiple-choice question appears then and when the correct answer is revealed the scene is updated showing the score indicator element. The next panel directs the user to be teleported to the final fountain area depending on the previous path followed.

Scene 5: Fountain 3 – No navigation support

At scene 5, no navigation technique support is provided, and the user should spot the fountain on its own. Moreover, this scene is enhanced by digital background music and not the natural and realistic sounds captured in the video resource, as already experienced in the previous scenes.




Figure 3 Scenes and design elements consisting the Rethymno 360° immersive video virtual tour.

Scene 6: Rimondi – Final scene

When all the fountains have been visited and all questions are answered the user is teleported to the last scene of the experience. This is the most iconic fountain of the city of Rethymno, the Rimondi fountain, which is shown functional with water running from its three tabs, indicating the mission accomplishment. A text panel appears informing the user that the mission has been completed and that he/she has helped in the hydration problem of the city through a certain amount of water according to the score level achieved (as shown in Figure 3(h)). Based on the final score, a citizen badge is assigned to the user that is either bronze (up to 30 liters), silver (40-60 liters) or gold (70 and over liters).

5. Experimental methods

The study was designed to evaluate the effectiveness and user acceptance of the design techniques for 360° immersive video applications (see Section 3) that were integrated in the Rethymno virtual tour. The successful application of the design is marked by the:

- (a) completion the assigned tasks (effectiveness), little effort (efficiency) and satisfaction (Nielsen, 2012);
- (b) cognitive processing (accessing, interpreting and responding to) the information conveyed by the virtual environment (Seeman & Cooper 2015).

In addition, the study was planned to allow the assessment of the levels of engagement and immersion achieved through the design approach followed. The success of the design techniques could lead to the development of a set of guidelines for the design of engaging and interactive 360° immersive video experiences.

The experimental evaluation activities using the 360° immersive video Historic Rethymno virtual tour application included lab-based testing.

The prototype design that has been described in Section 4 also supports conducting a comparative study of user performance when different design elements are applied.

5.1 Experimental conditions

The experiments run in the mixed reality lab at the School of Computer Science & Engineering, at the University of Westminster that provided the required VR equipment and a safe environment for conducting the study (Figure 4).

The VR equipment used were:

- one PC able to handle the tethered Oculus VR headset (1080x1200 per eye Resolution, 110° FOV, 90Hz Refresh Rate);
- an audio recording device to record interviews followed each session.



Figure 4: Participant testing the application using Oculus

The study duration was three days, dedicating 30 minutes timeslots for each participant. All users have tried the application using the Oculus VR headset. The ordering of experienced scenes was random as it relied on the user's choices during the branching narrative. Each VR tour experience lasts approximately 7 min. Prior to the main session the researcher introduced the scope of the study and handed out an information sheet and a consent form to be completed. At the end of each session the participants were asked to complete a scaled 1-5 questionnaire that took approximately 5-10 minutes to be completed, that served the purpose of collecting data related to the participants' experience in terms of immersion and engagement. The session ended with a short interview of the participants about their overall experience that lasted approximately 5-10 minutes. The study complies to the University of Westminster ethics experimental protocol.

5.2 Data collection methods

The data collection process included a set of different and comprehensive methods.

A *Logging mechanism* integrated in the Rethymno 360° immersive video application was recording quantitative data during runtime to study each participant's response time in completing the task of identifying the fountains. This has been accomplished through a script, integrated in the Oculus application, that calculated the time from entering a scene (and the reveal of the navigation assistance mechanism – human eye contact motivation/graphic vectors/baseline) up to point of facing the fountain contained in the scene and logged to a .csv file.

Structured questionnaires with two sections recorded:

- a) demographic data and subject preferences;
- b) data capturing the overall user experience.

The first part of the questionnaire was focusing on collecting data on the users' prior experience, habits, age range and background.

The second part of the questionnaire consisted of 20 questions targeting the collection of data related to:

- sense of presence and user satisfaction of the immersive experience;
- preference of design techniques and elements integrated in the different scenes;
- user acceptance of techniques applied;
- user level of engagement with the overall experience.

Each question has been defined corresponding to a specific factor measurement related to:

- *immersion*, such as sense of presence, realism, naturalness, consistency and loss of time awareness; and
- *engagement*, such as endurance, confidence, novelty and focus of attention.

A 5-Likert scale (1: strongly agree, 5: strongly disagree) that uses fixed choice response formats designed to measure attitudes or opinions (Bowling 1997; Burns & Grove 1997) is used.

Note taking during conducting the test collected qualitative information about the participants overall experience, marking down issues of malfunction and difficulties in using the application and the required equipment.

Face-to-face interviews following each task capture the participants' comments about their overall experience.

5.3 Participants

Thirty-eight (38) users (23 males, 15 females) with ages spanning from 18-50+ participated in the study on a voluntary basis invited through e-mails sent to University lists. 39.5 % of the participants were under thirty (18-30 years) while the 60.5% of them were between 31 up to 50+. Most of the participants (71.1 %) were undergraduate, post-graduate students, academic staff and professionals with a background in Computer Science and related studies (design, HCI) while the rest had no technology background, such as psychologists or administrative staff.

More than half of the subjects (57.9 %) were frequent game players, playing games at least on a monthly basis and 71.1% has had at least one VR experience in the past.

6. Evaluation results

The questionnaire generated non-parametric and categorical quantitative data that were mostly ordinal, but also nominal in some cases (gender etc.). In contrast, the data collected from the system logging mechanisms generated scale measurements and were analysed with most common non-parametric analysis tests equivalent to repeated measures ANOVA tests. The sections below provide a more thorough analysis of the quantitative data, followed by an interpretation of the outcomes, concluding with a reporting section on the qualitative data collected during the after-tests interviews.

6.1 Immersion evaluation

To evaluate the level of immersion achieved using the Rethymno 360° immersive video virtual tour (see Section 3), Figure 5 shows the Likert scale means with 95% confidence intervals of questions related to sense of presence, realism, naturalness, consistency and loss of time awareness. In terms of realism of the experience (mean value 2,26 close to 2-agree), “feeling like actually being there” (presence) and the achieved level of disconnection from the real world, the results confirm the hypothesis that the design that follows the proposed methodological considerations (see Section 3) provides a satisfying level of immersive experience. The results related to loosing time awareness are neutral, the participants’ replies vary, so no conclusions can be drawn related to the effect of the prototype design to offer such a sense. However, it is worth stating that besides the effect of locomotion integrated in the form of simulating movement through waking in the scene, the results indicated that participants did not feel dizzy. Dizziness is a feeling that breaks immersion (Kolasinski 1995). This was achieved by capturing 360° video resources by holding the camera and walking slowly and steadily. Therefore, its potential for providing comfortable moderate motion while exploring 360° video is high.




Figure 5: Immersion questions with 95% confidence intervals

6.2 Engagement evaluation

In terms of engagement, the design of the Rethymno 360° immersive video virtual tour addresses the users’ expectations. This is indicated by all related data from questions measuring factors associated to enjoyment, control, excitement, endurance, confidence, novelty and focus of attention had positive results (mean values close to 2-agree with error bars overlapping) as depicted in Figure 6. Overall, the design approach showed good potentials in providing engaging experiences through the integration of branching narratives, gamified techniques and moderate motion effects.




Figure 6: Engagement questions with 95% confidence intervals

6.3 Moderate motion techniques comparative results

As depicted in Figure 7, the results on questions related to the user's acceptability of the integrated navigation techniques from one scene to another indicate a preference towards the teleportation mechanism. The mean of the users' preference for walking simulation is 3,46 – closer to neutral. Thus, no valid assumptions can be formed regarding the most preferred technique for scene transition, but it can be concluded that the teleportation design offers a smooth and comfortable solution. Provided the results are neutral and not negative on the walking simulation (mean value 3,22 close to 3-neutral response), we can assume that there is potential for an acceptance also of this technique especially if the production of the videos is done with professional stabilization and higher quality equipment.




Figure 7: Moderate motion with 95% confidence intervals

6.4 Navigation techniques comparative results

Two navigation assistance techniques have been integrated in the Rethymno 360° immersive video virtual tour testbed:

- Human motivation: the integration of an actor in the video resource motivating the users to turn and look towards a direction the actor is looking by first creating human contact with the users and then turning and looking towards a POI;
- Vectors UI: the placement of directional graphic vectors that point to the direction of a POI and fade when the user turns towards the direction they point.

The results regarding the effectiveness of both techniques are very positive, with most of the participants stating that they strongly agree with the statement that they were motivated to change their view by those techniques (as shown in Figure 8). In terms of user preference between those two techniques, there is no indication that users liked most one technique to another as the mean value of the corresponding question results is 3,1 showing neutrality. When participants have been asked if they would prefer to have no assistance and explore the environment at their own pace, the results were close to neutral (mean = 3,44) and therefore no accurate assumption can be formed based exclusively on that data.




Figure 8: Navigation means with 95% confidence intervals

To further evaluate the efficiency of the navigation assistance techniques a system log mechanism has been integrated in the testbed for Oculus, in scenes 3 (human motivation) & 4 (vectors UI), while in scene 5 no navigation assistance technique is integrated, forming the baseline. The log mechanism records the response time that takes the user to turn towards the POI (fountain) pointed by the incorporated navigation assistance technique. The data indicated that in scenes with navigation mechanisms the participants' response time was significantly shorter compared to a scene with no navigation mechanism (referred as Baseline/No support in Table 5).

By comparing the different navigation mechanisms' response time means in Table 2 below we see that the most efficient technique seems to be the human-guided navigation support, with a mean value of 3,53 sec.. The less effective navigation mechanism is the baseline solution where no navigation assistance technique has been integrated, with a mean value of 10 sec approximately.

	Response Time Vectors UI support	Response Time Baseline / No support	Response Time Human motivation
N	38	38	38
Mean	4.62652716	10.03373553	3.53739254
Std. Deviation	5.478621629	13.558174090	4.504170560
Variance	30.015	183.824	20.288

Table 2: Mean, standard deviation and variance of the log data for the different navigation techniques

However, the log time raw data is not normally distributed based on the significance results of Kolmogorov-Smirnov and Shapiro-Wilk tests ($p=0$) (see Table 3). Thus, a full factorial ANOVA analysis is not allowed, and a non-parametric test should be performed. An equivalent non-parametric test is the Friedman's test that does not include though interactions analysis.

	Kolmogorov-Smirnov ^a			Shapiro-Wilk		
	Statistic	df	Sig.	Statistic	df	Sig.
Response Time Arrow UI support using Oculus	,319	38	,000	,518	38	,000
Response Time No support using Oculus	,308	38	,000	,565	38	,000
Response Time Human support using Oculus	,217	38	,000	,680	38	,000

a. Lilliefors Significance Correction

Table 3: Normality test of user time response to turn towards a POI driven by different navigation techniques.

The nonparametric Friedman test exploring the differences among repeated measures on time revealed a significant ($p=0$) Chi-square value of 22.158 (see Table 4). This points out for a significant difference between the two navigation mechanisms.

Friedman Test	
N	38
Chi-Square	22,158
df	2
Asymp. Sig.	,000

Table 4: Non-parametric Friedman test analysis for time repeated measures on the three navigation design techniques.

A post hoc analysis has been performed for pairwise comparisons using Wilcoxon signed-rank test among the different navigation assistance techniques (see Table 5). From the Wilcoxon Signed Ranks pairwise comparison analysis it is evident that there is significant difference between the time performed with the Vectors UI technique in comparison to the Baseline/No support ($p=0,003<0,05$). The users also performed significantly faster with the Human motivation technique than with Baseline/No support ($p=0<0,05$). There is no significant difference through on time to perform the task between the two techniques Human motivation – Vectors UI ($p=0,112>0,05$).

Wilcoxon Signed Ranks Test		
	Z	Asymp. Sig. (2-tailed)
Time with Human motivation - Time with Vectors UI support	-1,588	,112
Time with Baseline/No support - Time with Vectors UI support	-2,980	,003
Time with Human motivation - Time with Baseline/No support	-3,589	,000

Table 5: Wilcoxon Signed Ranks pairwise analysis of time

We can assume based on the repeated measures comparison results that the navigation mechanisms were both efficient comparing them to Baseline/No, but no conclusion can be made on which technique (human vs vectors) was most efficient in terms of navigation.

6.5 Narrative design results

The user acceptance level of the branching storytelling technique that has been adapted in the design of the Rethymno 360° immersive video virtual tour testbed, empowering the users with the choice to follow their preferred path to visit the next fountain (see Scene 2 in Section 4.3 and Figure 3) was high. Most of the participants strongly agreed or agreed (30/38) with the statement of liking the freedom to choose their own path with none of them disagreeing.

6.6 Qualitative data analysis

Qualitative data have been collected while conducting the study through direct observation and notetaking and at a follow up interview after the completion of the session (see Section 4.2). All the participants commented that the virtual experience was interesting, and they would like to have similar experiences in the future as also that they were engaged and remained focused throughout the experience. They also pointed out that it was in general a comfortable experience with only a few of participants commenting that they felt a bit dizzy at some point when experiencing locomotion. In general, the participants commented that they would prefer to have a better quality of video, which was expected as the camera

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65

resolution used for the creation of the video resources was low. Some participants commented also on the position of the UI text panels by stating that the multiple-choice question elements were cutting out the view from the fountains.

A significant number of the participants suggested that they would prefer a more relaxed experience of increased realism by using more human actors in different stages of the game. In addition, they suggested creating short walking simulations with intermediate tasks to feel like there were exploring the area at their own pace and feel more like truly walking in the streets of the historical city center. Some of the participants also pointed out that they would like to be able to find clues that could help them in finding the right answer to the questions addressed and also that this could lead to an effective educational solution that they would enjoy.

7. Design guidelines

The interpretation of the outcomes of this study allowed the formation of a set of preliminary assumptions on the effectiveness towards engagement and immersion of the design techniques integrated at 360° immersive Cultural Heritage video applications. Those assumptions could be generalizable to other forms of immersive video virtual tour applications. In order to effectively integrate those techniques, a set of design guidelines (DGs) outlined below is proposed. Those DGs are presented in three parts (see Table 6): requirement/observation; design guideline; application example, following a model suggested that DGs need to be precise and providing examples of use in order to reduce the chances of the guideline being too vague, or conflicting (Reisner, 1987; Economou, 2001). The DGs are grouped per immersive video design aspect.

16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65

Design aspect/feature	Requirement/ Observation	Design guideline	Application example
Narrative design	When experiencing an immersive video narrative, the users need to engage with the context of the story and remain motivated till the end.	The design of the narrative in immersive video virtual tours should follow a branching storytelling approach allowing the user to follow their preferred path as they would do in real-life.	The Rethymno 360° immersive virtual tour was created applying the branching storytelling technique and introduced a mission relevant to the context story. The users were able to choose their preferred fountain location to visit next when being in front of a crossroad of the city. This technique reported high levels of engagement (see Section 6.2).
	The sense of empowerment and control of how the story unfolds are key aspects in providing engaging immersive experiences.	The 360° video production should be designed under the concept to introduce a mission in a close to real-life scenario.	
Virtual scenes design	Interaction with POIs captured in the 360° video scenes is important for providing engaging experiences and increasing the sense of presence.	Immersive video virtual scenes should be designed using 360° videos that depict a set of POIs relative to the story. The placement of UI spatial elements integrated in 360°video scenes to encourage interaction or provide textual information should be in accordance with the video projection in the background and should not occlude the observation of the video content (POIs).	For the design of the Rethymno 360° immersive virtual tour a list of immersive videos had been produced depicting fountains of historical interest. The fountains served as the POIs allowing interaction with them through UI elements projected in front of them. Users reported that the UI elements occluded the observation of the fountains (see Section 6.6).
	Interaction with the 360° immersive video through UI integrated elements should be seamlessly offered without breaking the sense of immer-	When capturing 360° video scenes for immersive and interactive video narrative should be able to loop in a realistic way.	

16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65

sion.		
Actors	role	<p>The use of virtual actors in VR experiences effectively motivates and assists users to interact with the VE in an engaging way. The same effect could be achieved through well-designed human actor scripts in immersive video interactive experiences.</p>
		<p>Human actors used as narrators in immersive video scenes should be provided with a scenario/script describing storytelling movements to perform as they speak.</p> <p>Human actors used as navigation motivators influencing the user's view rotation should be directed to perform human eye-contact by looking directly at the camera in close distance.</p>
		<p>The Rethymno virtual tour started with an actor introducing the context of the tour and the users' mission, capturing the users' attention from the beginning. The users reported that more realistic movements and engaging performance would engage them further keeping them more focused on the narration (see Section 6.6).</p> <p>A lady actor has been used in an immersive video scene of the Rethymno virtual tour facing the viewer and few seconds later turning to look towards a fountain. Participants were motivated by the human contact to turn and spot the fountain in the scene. The study results revealed high levels of effectiveness on the use of the human-eye-contact technique in user's engagement (see Section 6.4)</p>
Navigation	design	<p>In 360° immersive video experiences it is important to carefully design navigation creating a seamless video experience that will not break the sense of immersion.</p>
		<p>Realistic moderate motion design can effectively address scene-to-scene navigation using short and steady captured, walking simulation immersive videos.</p> <p>Location reference of POIs in a 360° video scene can be effectively achieved by integrating 2D graphic vector elements.</p>
		<p>360° videos captured by walking steadily towards a direction for a short time were integrated in the Rethymno virtual tour. The use of this technique revealed promising results towards increasing the user's immersion (see Section 6.3). Participants commented that they would like to experience immersive walking in more parts of their virtual tour and there weren't effects of nausea reported by most (see Section 6.6).</p> <p>Graphic UI elements in the form of pointing vectors have been integrated in one of the Rethymno virtual scenes to provide reference to one of the</p>

15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65

		ments.	fountains (see Scene 4, Section 4.3). The vectors proved to be an efficient and acceptable technique to support navigation (see Section 6.4).
Gamified design	Gamified design can increase users' engagement with the context of the story in an immersive video experience.	Introduction of challenges as a form of gamified design can be efficiently applied in immersive video virtual tours in the form of UI interactive text panels introducing multiple answer questions relative to the video context To engage the users in 360° immersive video experiences, gamified design should be applied by introducing activities that can be scored and level up. Those activities should be accompanied by adequate progress feedback UI mechanisms for score visualization and level indication.	In the Rethymno virtual tour the users were introduced with multiple answer questions they had to address by selecting the correct UI text panel element. The introduction of such a mechanism allowed gaze-based interaction with virtual elements of the scene while kept the users motivated (see Section 6.2). A graphic UI visualization of the water collected has been integrated in each immersive video scene of the Rethymno virtual tour. The water collector was dynamically updated after each question challenge was complete informing the users on their level of mission completion (see Section 6.2).

Table 6: Design guidelines for 360° immersive video applications

8. Conclusion

The study presented in this paper attempted to introduce a set of design tasks and techniques that should be considered at the experience and interaction design layers of the design process of creating 360° immersive video applications of Cultural Heritage tours. Those design aspects were considered in the creation of a testbed application of a virtual tour in the historical city of Rethymno, Greece. The Cultural Heritage virtual testbed application has been subjected to lab-studies involving real users allowing the evaluation of the proposed techniques. The results of the study led to the definition of a set of design guidelines suggested for the creation of immersive video interactive applications.

The evaluation results indicated that the methodology followed for the design of the 360° immersive video Rethymno virtual tour led to high level of engagement perceived by the participants. The immersion level was also satisfying with participants feeling comfortable throughout the experience that combined two moderate motion techniques, including 360° video captured with locomotion and teleportation, showing preference to teleportation. The integrated mechanisms for supporting navigation in the 360° virtual scenes and identifying POIs were significantly more efficient comparing to absence of navigation support. The first technique was based on the use of a human actor creating eye-contact with the subjects/participants to motivate them to look at the same direction with them, while the second was based on the use of graphic UI vectors pointing towards a POI.

A gamified design was also followed with the aim to engage the users further with the historical virtual tour experience and provide enhanced interaction with the video-based virtual scene. The tour introduced the mission of visiting the preserved fountains of Rethymno to collect water, experiencing in a way the citizen daily activities of that period of time. In each scene of the tour a fountain was visited, and participants were presented with a challenge in the form of multiple answer questions that assigned participants with points in the form of litres of collected water. The participants were learning about the history of the city in a fun and entertaining way even in the cases they answered a question incorrectly. The proposed design methodology for 360° immersive video experiences offers a new approach for delivering informative and entertaining Cultural Heritage virtual tours. The results of this study revealed the high potentials of the immersive video medium in the area of Virtual Cultural Heritage digital applications design.

Moreover, future studies are suggested to explore other design methods and techniques that could be followed in 360° immersive video UI design such as the use of cognitive UI map visualizations for 360° in-scene navigation. Different UI design approaches for VR should also be investigated on their pertinence in the case of 360° immersive video. The proposed techniques should also be evaluated in future studies assessing usability by isolating the assessment of each design mechanism and performing further comparative studies.

Acknowledgements

We thank the XR-Lab for offering the facilities and technical support, the Serious Games at Westminster Research group and the University of Westminster for sponsoring this research.

References

- [1] Adão, T., Pádua, L., Fonseca, M., Agrellos, L., Sousa, J. J., Magalhães, L., & Peres, E. (2018). A rapid prototyping tool to produce 360° video-based immersive experiences enhanced with virtual/multimedia elements. *Procedia computer science*, 138, 441-453.
- [2] Argyriou, L., Economou, D., Bouki, V., & Doumanis, I. (2016). Engaging immersive video consumers: Challenges regarding 360-degree gamified video applications. In 2016 15th International Conference on Ubiquitous Computing and Communications and 2016 International Symposium on Cyberspace and Security (IUCC-CSS) (pp. 145-152). IEEE.
- [3] Argyriou, L., Economou, D., & Bouki, V. (2017). 360-degree interactive video application for Cultural Heritage Education, iLRN 3Rd Annual Conference, Coimbra, Portugal, June 2017.
http://westminsterresearch.wmin.ac.uk/19944/1/iLRN2017OnlineProceedings_Ergyriou_Economou_Bouki.pdf
- [4] Athenaplus (2014). Digital cultural heritage and tourism recommendations for cultural institutions, available online at:
<http://www.athenaplus.eu/index.php?en/222/recommendations-and-guidelines>, last accessed on 15 June 2019.
- [5] Boukhris, M., Paljic, A., & Lafon-Pham, D. (2017). 360 versus 3D Environments in VR Headsets for an Exploration Task. In *Proceedings of the 27th International Conference on Artificial Reality and Telexistence and 22nd Eurographics Symposium on Virtual Environments* (pp. 71-78). Eurographics Association.
- [6] Bowling, A. (1997) *Research Methods in Health*. Buckingham: Open University Press.
- [7] Burns, N. & Grove, S.K. (1997). *The Practice of Nursing Research Conduct, Critique, & Utilization*. Philadelphia: W.B. Saunders and Co.
- [8] Cai, S., Ch'ng, E., & Li, Y. (2018). A comparison of the capacities of VR and 360-degree video for coordinating memory in the experience of cultural heritage.
- [9] Carrozzino, M., Colombo, M., Tecchia, F., Evangelista, C., & Bergamasco, M. (2018). Comparing Different Storytelling Approaches for Virtual Guides in Digital Immersive Museums. In *International Conference on Augmented Reality, Virtual Reality and Computer Graphics* (pp. 292-302). Springer, Cham.
- [10] Chou, Y. K. (2013). Octalysis: Complete gamification framework. Yu-Kai Chou & Gamification blog, available at: <http://www.yukaichou.com/gamification-examples/octalysis-complete-gamification-framework>, last accessed on 23/06/2016.
- [11] Comerford P. (2012). Finding hidden fountains of Rethymnon, online article available at:
<http://www.patrickcomerford.com/2012/07/finding-hidden-fountains-of-rethymnon.html>, last accessed on January 12th 2019.
- [12] De Valk, L., Rijnbout, P., Bekker, T., Eggen, B., De Graaf, M., & Schouten, B. (2012, July). Designing for playful experiences in open-ended intelligent play environments. In *IADIS international conference games and entertainment technologies* (Vol. 310, p. 318).
- [13] Digital Crete online database by IMS FORTH, Ottoman monuments directory listing, available at : http://digitalcrete.ims.forth.gr/tourkology_monuments_search.php?l=1, last accessed on 03/07/2016.

- 1
2
3
4
5
6
7 [14] Economou, D. (2001) The role of virtual actors in collaborative virtual environments for
8 learning, Manchester Metropolitan University.
9 [15] Ellicom (July 2017). Virtual reality in education and training, available online at: el-
10 licom.com/blogue/ellicom/virtual-reality-video-360/, last accessed on 23rd October 2017.
11 [16] Ferrari, F., & Medici, M. (2017). The virtual experience for cultural heritage: methods and
12 tools comparison for Geguti Palace in Kutaisi, Georgia. In *Multidisciplinary Digital
13 Publishing Institute Proceedings* (Vol. 1, No. 9, p. 932).
14 [17] The Guardian (December 2015). How virtual reality will change the cinematic experience.
15 Dan Page at The Guardian, available online at: [https://www.theguardian.com/culture-
16 professionals-network/2015/jan/30/virtual-reality-cinema-experience-vr](https://www.theguardian.com/culture-professionals-network/2015/jan/30/virtual-reality-cinema-experience-vr), last accessed on
17 23rd March 2017.
18 [18] Ivkovic, I., Klisura, N., & Sljivo, S. (2018). Bridges of sarajevo. In *Central European
19 Seminar on Computer Graphics* (pp. 107-114).
20 [19] Kolasinski, E. M. (1995). Simulator Sickness in Virtual Environments (No. ARI-TR-1027).
21 Army research Inst for the behavioral and social sciences Alexandria VA.
22 [20] Nielsen J. (2012). User Satisfaction vs. Performance Metrics online article, available at:
23 <https://www.nngroup.com/articles/satisfaction-vs-performance-metrics/>, last accessed on
24 25th May 2019
25 [21] Nielsen, L. T., Møller, M. B., Hartmeyer, S. D., Ljung, T., Nilsson, N. C., Nor-dahl, R., &
26 Serafin, S. (2016, November). Missing the point: an exploration of how to guide users'
27 attention during cinematic virtual reality. In *Proceedings of the 22nd ACM Conference on
28 Virtual Reality Software and Technology* (pp. 229-232). ACM.
29 [22] Pavlik, J. V. (2018). Experiential media and transforming storytelling: A theoretical
30 analysis. *Journal of Creative Industries and Cultural Studies (JOCIS)*, 3, 46-67.
31 [23] Reisner, P. (1987). HCI, what is it and what research is needed?. In *Interfacing thought:
32 Cognitive aspects of human-computer interaction* (pp. 337-352). MIT Press.
33 Rimondi fountain Cultural Heritage Monument, Municipality of Rethymno, information available at:
34 <https://www.rethymno.gr/en/city/Rimondi/rimondi.html>, last accessed on 27/06/2016.
35 [24] Seeman, L., & Cooper, M. (2015). Cognitive accessibility user research. W3C First Public
36 Working Draft, 15.
37 [25] Selmanovic, E., Rizvic, S., Harvey, C., Boskovic, D., Hulusic, V., Chahin, M., & Sljivo, S.
38 (2018). VR Video Storytelling for Intangible Cultural Heritage Preservation.
39 [26] Slater, M. & Usoh, M., Presence in Immersive Virtual Environments. *Proceedings of the
40 IEEE Conference - Virtual Reality Annual International Symposium (VRAIS'93)*, IEEE
41 Neural Networks Council, Seattle, WA, USA., September 18-22, IEEE Computer Society,
42 pp. 90-96, 1993.
43 [27] Sylaiou, S., Kasapakis, V., Dzardanova, E., & Gavalas, D. (2018). Leveraging Mixed
44 Reality Technologies to Enhance Museum Visitor Experiences. In *2018 International
45 Conference on Intelligent Systems (IS)* (pp. 595-601).
46 [28] Sylaiou, S., Kasapakis, V., Dzardanova, E., & Gavalas, D. (2019). Assessment of Virtual
47 Guides' Credibility in Virtual Museum Environments. In *International Conference on
48 Augmented Reality, Virtual Reality and Computer Graphics* (pp. 230-238). Springer, Cham.
49 [29] Tran, H. T., Ngoc, N. P., Pham, C. T., Jung, Y. J., & Thang, T. C. (2017). A subjective
50 study on QoE of 360 video for VR communication. In *2017 IEEE 19th International
51 Workshop on Multimedia Signal Processing (MMSP)* (pp. 1-6).
52 [30] Wired (March 2015). "You Can Now Watch and Upload 360-Degree Videos on YouTube",
53 Wired, avail-able online at: <https://www.wired.com/2015/03/youtube-360-degree-video/>,
54 last accessed on 14th September 2017.
55
56
57
58
59
60
61
62
63
64
65